



# NEMO EVALUATIONS REPORT

Report No.: NER-RUST-001  
Revision 0: 2026-02-23  
Page 1 of 4

Rust-Oleum Corporation  
FL48096

**Nemo|cert.**

353 Christian Street, Unit 12b  
Oxford, CT 06478  
(475) 888-CERT (2378)  
[www.nemocert.com](http://www.nemocert.com)

INSPECT

CERTIFY

EVALUATE

VALIDATE

QUALIFY

## NEMO EVALUATION REPORT (NER)

### Rust-Oleum Corporation



11 E. Hawthorn Parkway  
Vernon Hills, IL 60061  
(518) 928-6560

**SUBJECT:** Rust-Oleum Silicone Roof Coatings

**SCOPE:** This NEMO Evaluation Report (henceforth 'NER') is issued under F.A.C. [Rule 61G20-3](#) and the applicable rules and regulations governing Product Approval of construction materials in the State of Florida and ISO/IEC 17065 via [NEMO|cert.](#) NEMO Evaluations has evaluated the product described herein for compliance with the [Code sections noted herein](#).

**CODE:** 2023 Florida Building Code, 8<sup>th</sup> Edition

**FBC JURISDICTION:** Non-HVHZ and HVHZ

**NEMO CATEGORY:** Liquid Applications

**FBC CATEGORY:** Roofing

**FBC SUB-CATEGORY:** Cements – Adhesives – Coatings

**CSI DIVISION:**  
07 00 00 Thermal and Moisture Protection  
07 56 00 Fluid-Applied Roofing  
07 57 00 Coated Foam Roofing

**METHOD:** Method 1, Option C – Codified Material, Evaluation by Evaluation Entity

**COMPLIANCE STATEMENT:** **Rust-Oleum Silicone Roof Coatings**, as produced by **Rust-Oleum Corporation**, have demonstrated compliance with the Code [sections noted herein](#) through testing in accordance with the referenced Standards, rational analysis and an ongoing quality assurance program. Compliance is subject to the [Installation Requirements](#) and [Limitations of Use](#) set forth herein.

**QUALITY ASSURANCE:** Evidence of current quality assurance shall be listing and/or labeling in accordance with the requirements of [NEMO|cert.](#)

**CONTINUED COMPLIANCE:** This NER is valid until such time the named product(s) change, the referenced Quality Assurance changes, or the evaluated Code provisions change. NEMO Evaluations requires, at minimum, a complete review of this NER with each 3-year Code Cycle.

**BUILDING PERMIT REQUIREMENTS:** As required by the Building Official or Authority Having Jurisdiction to evaluate the installation of this product.

**ADVERTISEMENT:** "NEMO Evaluated" may be displayed in advertising literature. If any portion of the NER is displayed, it shall be displayed in its entirety.

**CERTIFICATION OF INDEPENDENCE:**

- ✓ Neither NEMO ETC, LLC nor NEMO CERT, LLC have, nor do they intend to acquire or will they acquire, a financial interest in any company manufacturing or distributing products it evaluates.
- ✓ Neither NEMO ETC, LLC nor NEMO CERT, LLC are owned, operated or controlled by any company manufacturing or distributing products it evaluates.
- ✓ This is a building code evaluation. Neither NEMO ETC, LLC nor NEMO CERT, LLC are, in any way, the Designer of Record for any project on which this NER, or previous versions thereof, is/was used for permitting or design guidance.



# NEMO EVALUATIONS REPORT

Report No.: NER-RUST-001  
Revision 0: 2026-02-23  
Page 2 of 4

Rust-Oleum Corporation  
FL48096

**Nemo|cert.**

353 Christian Street, Unit 12b  
Oxford, CT 06478  
(475) 888-CERT (2378)  
[www.nemocert.com](http://www.nemocert.com)

INSPECT

CERTIFY

EVALUATE

VALIDATE

QUALIFY

## 1. CODES, PROPERTIES AND STANDARDS:

<u>CODE</u>	<u>SECTION</u>	<u>PROPERTY</u>	<u>STANDARD</u>
2023 Florida Building Code, 8 <sup>th</sup> Edition	1507.14.3, 1509.2, TAS 110	Material standard	ASTM D6694

## 2. PRODUCTS:

TABLE 1: EVALUATED COATINGS & ACCESSORIES

USE	PRODUCT	MATERIAL STANDARD	PLANT(S)	DESCRIPTION / APPROVED USE
ROOF COATINGS				
	985 Silicone Roof Coating	ASTM D6694	Guelph, ON Canada	High solids, single-component, moisture cure, white or tinted, silicone roof coating.
	1094 Silicone Roof Coating	ASTM D6694	Guelph, ON Canada	High solids, single-component, moisture cure, white or tinted, silicone roof coating.

## 3. INSTALLATION:

- 3.1 **Rust-Oleum Silicone Roof Coatings** shall be installed in accordance with **Rust-Oleum Corporation** published installation instructions, subject to the [Limitations of Use](#) noted herein. In case of conflict between published installation instructions and this NER, this report governs.
- 3.1.2 Foundation coat(s), reinforcing fabric (when installed) and/or finish coat(s) shall be in accordance with Rust-Oleum wet-mil and dry-mil thickness requirements.
- 3.2 Allowable Substrates:



# NEMO EVALUATIONS REPORT

Report No.: NER-RUST-001  
 Revision 0: 2026-02-23  
 Page 3 of 4

Rust-Oleum Corporation  
 FL48096

**Nemo|cert.**

353 Christian Street, Unit 12b  
 Oxford, CT 06478  
 (475) 888-CERT (2378)  
[www.nemocert.com](http://www.nemocert.com)

INSPECT

CERTIFY

EVALUATE

VALIDATE

QUALIFY

TABLE 2A: ALLOWABLE SUBSTRATES, 985 SILICONE ROOF COATING OR 1094 SILICONE ROOF COATING				
SUBSTRATE			PRIMER	FOUNDATION COAT(S) AND/OR FINISH COAT
TYPE	SURFACE	CONDITION		
Built-up Roof (BUR)	Granule	New	None	985 or 1094 Silicone Roof Coating
Metal, Aluminum	N/A	New	None	985 or 1094 Silicone Roof Coating
Metal, Galvanized Steel	N/A	New	None	985 or 1094 Silicone Roof Coating
Modified Bitumen, APP	Granule	New	None	985 or 1094 Silicone Roof Coating
	Granule	Existing (aged)	None	985 or 1094 Silicone Roof Coating
Modified Bitumen, SBS	Granule	New	None	985 or 1094 Silicone Roof Coating
	Granule	Existing (aged)	None	985 or 1094 Silicone Roof Coating
	Sanded	New	None	985 or 1094 Silicone Roof Coating
	Sanded	Existing (aged)	None	985 or 1094 Silicone Roof Coating
Single Ply, EPDM				
	N/A	Existing (aged)	None	985 or 1094 Silicone Roof Coating
Single Ply, PVC				
	N/A	Existing (aged)	None	985 or 1094 Silicone Roof Coating
Spray Applied Polyurethane Foam	N/A	New	None	985 or 1094 Silicone Roof Coating
Structural Concrete	N/A	New	None	985 or 1094 Silicone Roof Coating
Acrylic	N/A	Existing (aged)	None	985 or 1094 Silicone Roof Coating
Silicone	N/A	New	None	985 or 1094 Silicone Roof Coating
	N/A	Existing (aged)	None	985 or 1094 Silicone Roof Coating

#### 4. LIMITATIONS OF USE:

- 4.1 This is a building code evaluation. NEMO ETC, LLC and NEMO CERT, LLC are not, in any way, the Designer of Record for any project on which this NER, or previous versions thereof, is/was used for permitting or design guidance. NERs are not to be construed as representing any attributes not specifically listed, nor are NERs to be construed as an endorsement of the subject of the report or a recommendation for its use. There is no warranty by NEMO ETC, LLC nor NEMO CERT, LLC, express or implied, as to any finding or other matter in this report, or as to any product covered by the report.
- 4.2 This NER pertains to above-deck roof components. Roof decks and structural members shall be in accordance with FBC requirements to the satisfaction of the Authority Having Jurisdiction.



# NEMO EVALUATIONS REPORT

Report No.: NER-RUST-001  
Revision 0: 2026-02-23  
Page 4 of 4

Rust-Oleum Corporation  
FL48096

**Nemo|cert.**

353 Christian Street, Unit 12b  
Oxford, CT 06478  
(475) 888-CERT (2378)  
[www.nemocert.com](http://www.nemocert.com)

INSPECT	CERTIFY	EVALUATE	VALIDATE	QUALIFY
4.3	This NER does not include evaluation of fire classification. Refer to FBC 1505 or FBC HVHZ 1516 and UL <a href="#">TGFU.R38879</a> for requirements and limitations regarding roof assembly fire classification. Refer to FBC 2603 for requirements and limitations concerning the use of foam plastic insulation.			
4.4	<b>Rust-Oleum Silicone Roof Coatings</b> are components for use in Approved roof assemblies. Refer to the "Approved Use" in <a href="#">Section 2</a> for each component. The coatings noted herein are not purported to be Roofing Systems, and their use shall be governed by and limited to applications where Roof System Product Approval is not necessary (e.g., maintenance and repair) or where the components are called out in a Roof System Product Approval.			
4.5	The existing roof system and/or substrate shall meet wind uplift requirements of the project to the satisfaction of the Authority Having Jurisdiction.			
4.6	All products listed herein shall have quality assurance audit in accordance with <b>F.A.C. Rule <a href="#">61G20-3</a></b> requirements.			

- END OF NER -

